wherein  $R^1$  is independently a monovalent hydrocarbon group having 1 to 6 carbon atoms,

X is independently  $-CH_2$ ,  $-CH_2O-$ ,  $-CH_2OCH_2-$  or  $-Y-NR^2-CO-$  wherein Y is  $-CH_2-$  or a divalent group of the following structural formula (I):

$$\begin{array}{c}
CH_3 \\
-Si \\
CH_3
\end{array}$$
(I)

and  ${\ensuremath{\mbox{R}}}^2$  is hydrogen or a monovalent hydrocarbon group having 1 to 10 carbon atoms,

Rf<sup>1</sup> is a monovalent perfluoroalkyl or perfluorooxy-alkyl group,

Z is a divalent hydrocarbon group of 1 to 15 carbon atoms which may contain an ether bond,

subscripts a, b, c and d are integers satisfying a  $\leq$  3, b  $\leq$  3, c  $\leq$  3, d  $\leq$  3, 3  $\leq$  a+c  $\leq$  5, 1  $\leq$  b+d  $\leq$  3, a+b  $\leq$  3, and c+d  $\leq$  3, and e is independently 0 or 1.

Claim 2. (Original) The fluorinated organosilicon compound of claim 1 having the following general formula (2):

Appl. No. 10/077,886

wherein  $R^1$ , X,  $Rf^1$ , a, b, c, d and e are as defined above and g is an integer of 1 to 8.

- 3. (Previously Presented) The fluorinated organosilicone compound of claim 1, wherein  $R^2$  is a monovalent hydrocarbon group having 1 to 6 carbon atoms.
- 4. (Previously Presented) The fluorinated organosilicone compound of claim 1, wherein R<sup>2</sup> is selected from the group consisting of alkyl, cycloalkyl, aryl and aralkyl groups unsubstituted, or substituted by replacing some of all of the hydrogen atoms in the foregoing groups with halogen atoms.
- 5. (Previously Presented) The fluorinated organosilicone compound of claim 1, wherein  $Rf^1$  is a perfluoroalkyl group of the formula  $-C_hF_{2h+1}$  wherein h is an integer of 1 to 20.
- 6. (Previously Presented) The fluorinated organosilicone compound of claim 1, wherein Rf<sup>1</sup> is a perfluoroxyalkyl group of a formula selected from the group consisting of:

Appl. No. 10/077,886

$$F \leftarrow (CF - CF_2 - O) - CF - CF_3$$

$$CF_3 \qquad CF_3$$

$$F \leftarrow (CF - CF_2 - O) - CF_2CF_2 - CF_3$$

$$\begin{array}{c}
\text{CF} + (\text{CF} - \text{CF}_2 - \text{O}) + \text{CF}_1 \\
\text{CF}_3 & \text{CF}_3
\end{array}$$

 $CF_3CF_2CF_2O(CF_2CF_2CF_2O)_n\text{-}CF_2CF_2\text{-}$  wherein n is an integer of 1 to 100.

- 7. (Previously Presented) The fluorinated organosilicone compound of claim 1, wherein Z is divalent hydrocarbon group of 1 to 10 carbon atoms selected from the group consisting of alkylene, cycloalkyl and arylene groups which may optionally contain an ether bond.
- 8. (Previously Presented) The fluorinated organosilicone compound of claim 1, wherein  $R^1$  is selected from the group consisting of alkyl, alkenyl and aryl groups.
- 9. (Previously Presented) The fluorinated organosilicone compound of claim 1, wherein  $\mathbb{R}^1$  is methyl or phenyl.

10. (Previously Presented) The fluorinated organosilicone compound of claim 2, wherein g is an integer of 1 to 4.